

## IWB-Veröffentlichungen 2021

### Aufsätze:

Al-Rousan, R.Z.; Sharma, A.: Integration of FRP sheet as internal reinforcement in reinforced concrete beam-column joints exposed to sulfate damaged. In: Structures 31 (2021), pp. 891-908

Blagojevic, B.; Nitsche, A.; Sawodny, O.: Modelling of Transient Incompressible Mass Flow through a Hose, 2021 IEEE Conference on Control Technology and Applications CCTA, pp. 424-429, DOI: [10.1109/CCTA48906.2021.9659068](https://doi.org/10.1109/CCTA48906.2021.9659068)

Bogdanic, A.; Casucci, D.; Ozbolt, J.: Numerical and experimental investigation of anchor channels subjected to shear load in composite slabs with profiled steel decking. In: Engineering Structures 240 (2021), No. 112347

Bogdanic, A.; Casucci, D.; Ozbolt, J.: Numerical and experimental investigation on concrete splitting failure of anchor channels. In: CivilEng 2 (2021), No. 2, pp. 502-522

Bokor, B.; Sharma, A.; Hofmann, J.: Concrete edge failure of anchor groups placed parallel to an edge. In: ACI Structural Journal 118 (2021), No. 2, 237-248

Bokor, B.; Sharma, A.: Numerical investigations on non-rectangular anchor groups under shear loads applied perpendicular or parallel to an edge. In: CivilEng 2 (2021), No. 3, pp. 692-711

Eckstein, M.Y.; Hofmann, J.: Tests to assess the durability of expansion anchors made of galvanized steel with functional coating under different storage conditions. In: Otto-Graf-Journal 20 (2021), S. 61-74

Fuchs, W.; Hofmann, J.: Post-installed reinforcing bars - requirements for their reliable use. In: Developments in the Built Environment 5 (2021), No. 100040

Gambarelli, S.; Ozbolt, J.: 3D hygro-mechanical meso-scale model for wood. In: Construction and Building Materials 311 (2021), No. 125283

Gambarelli, S.; Ozbolt, J.: Meso-scale modelling of CFRP-confined concrete: microplane-based approach In: Otto-Graf-Journal 20 (2021), S. 89-106

Garrecht, H.; Ditzen, C.; Teichmann, L.; Reeb, S.: Margarethenhöhe goes towards low-carbon-area - sustainable concepts for energy-efficient built heritage. In: IOP Conference Series: Earth and Environmental Science 863 (2021), No. 012054

Garrecht, H.; Oexle, D.; Lackovic, L.; Teichmann, L.: Solar roof tiles – potentials for energy-efficient buildings in historic building stock In: Otto-Graf-Journal 20 (2021), S. 107-128

Grübel, A.; Lakhani, H.; Hofmann, J.: Effect of tension lap splice on the behaviour of reinforced concrete beams during fire. In: In: Pečenko, R.; Huč, S.; Chifliganec, C.; Hozjan, T.: Applications of Structural Fire Engineering, Proceedings; 7th Applications of Structural Fire Engineering (ASFE'21), 10-11 Jun 2021, Ljubljana, Slovenia. University of Ljubljana

Hein, H.; Schwarte, J.: Chances and limits of statistical methods to capture uncertainties in life cycle assessment. In: Otto-Graf-Journal 20 (2021), S. 129-134

Lakhani, H.; Hofmann, J.: Concrete cone failure of headed stud under different fire exposure. In: Otto-Graf-Journal 20 (2021), S.135-146

Lakhani, H.; Hofmann, J.; Bal, A.: FE analysis of fasteners exposed to fire: evaluation of concrete cone capacity. In: Pečenko, R.; Huč, S.; Chifliganec, C.; Hozjan, T.: Applications of Structural Fire Engineering, Proceedings; 7<sup>th</sup> Applications of Structural Fire Engineering (ASFE'21), 10-11 Jun 2021, Ljubljana, Slovenia. University of Ljubljana

Laumann, S.; Lehmann, F.; Hofmann, J.: An approach for ultrasound-based ultimate load prediction of fasteners in concrete. In: Otto-Graf-Journal 20 (2021), S. 147-160

Lazik, P.-R.; Garrecht, H.: Wood ashes from electrostatic filter as a replacement for the fly ashes in concrete. In: Journal of Construction Materials 2 (2021), pp. 2-6

Mahadik, V.; Sharma, A.: Bidirectional loading history for seismic testing of 3D frame joints. In: CivilEng 2 (2021), Nr. 2, pp. 349-369

Mahadik, V.; Sharma, A.; Hofmann, J.: Cast-in and post-installed rebar anchorage systems in RC column foundation joints: experimental investigations. In: Engineering Structures 238 (2021), No. 112208

Mahrenholtz, C.; Sharma, A.; Kucharski, M.; Eligehausen, R.; Hammill, N.L.; Hastings, B.: Anchor reinforcement for anchor channels. In: Concrete International 43 (2021), No. 9, pp. 24-29

Marchisella, A.; Muciaccia, G.; Sharma, A.; Eligehausen, R.: Experimental investigation of 3D RC exterior joint retrofitted with fully-fastened-haunch-retrofit solution. In: Engineering Structures 239 (2021), No. 112206

Markert, M.; Garrecht, H.: Influence of temperature in crease in fatigue behaviour of concrete during compressive fatigue loading. In: Gatuingt, F.; Torrenti, J.-M. (Eds.): Proceedings of the 2021 Session of the 13<sup>th</sup> fib International PhD Symposium in Civil Engineering. Lausanne: fib International Federation for Structural Concrete, 2021, pp. 266-274

Mechtcherine, V.; Wyrzykowski, M.; Schröfl, C.; ...Reinhardt, H.-W.; ...: Application of super absorbent polymers (SAP) in concrete construction - update of RILEM state-of-the-art report. In: Materials and Structures 54 (2021), No. 80

Ozbolt, J.; Lackovic, L.; Tian, K.: Post-fire concrete edge failure in single and multiple anchors pre-loaded in shear. In: Fire Safety Journal 122 (2021), No. 103334

Reinhardt, H.-W.; Mielich, O.; Özkan, H.: Einfluss von Größe und Form von Probekörpern auf Dehnung, Rissbildung und E-Modul von Beton aufgrund einer Alkali-Kieselsäure-Reaktion. In: Beton 71 (2021), Nr. 12, S. 404-409

Reinhardt, H.-W.; Mielich, O.; Özkan, H.: How can we explain cracks on the surface of ASR damaged concrete? In: Otto-Graf-Journal 20 (2021), S. 181-190

Sakiyama, F.I.H.; Lehmann, F.; Garrecht, H.: A novel runtime algorithm for the real-time analysis and detection of unexpected changes in a real-size SHM network with quasi-distributed FBG sensors. In: Sensors 21 (2021), No. 2871

Sakiyama, F.I.H.; Lehmann, F.; Garrecht, H.: Structural health monitoring of concrete structures using fibre-optic-based sensors: a review. In: Magazine of Concrete Research 73 (2021), No. 4, pp. 174-194

Sakiyama, N.R.M.; Carlo, J.C.; Mazzaferro, L.; Garrecht, H.: Building optimization through a parametric design platform: using sensitivity analysis to improve a radial-based algorithm performance. In: Sustainability 13 (2021), No. 10, 5739

- Sakiyama, N.R.M.; Frick, J.; Bejat, T.; Garrecht, H.: Using CFD to evaluate natural ventilation through a 3D parametric modeling approach. In: *Energies* 14 (2021), No. 8
- Sakiyama, N.R.M.; Frick, J.; Stipetic, M.; Oertel, T.; Garrecht, H.: Hygrothermal performance of a new aerogel-based insulating render through weathering: impact on building energy efficiency. In: *Building and Environment* 202 (2021), September, No. 108004
- Sakiyama, N.R.M.; Mazzaferro, L.; Carlo, J.C.; Bejat, T.; Garrecht, H.: Dataset of the EnergyPlus model used in the assessment of natural ventilation potential through building simulation. In: *Data in Brief* 34 (2021), No. 106753
- Sakiyama, N.R.M.; Mazzaferro, L.; Carlo, J.C.; Bejat, T.; Garrecht, H.: Natural ventilation potential from weather analyses and building simulation. In: *Energy and Buildings* 231 (2021), No. 110596
- Schwarte, J.; Hein, H.: On the sustainability assessment of building materials and components In: *Otto-Graf-Journal* 20 (2021), S.191-198
- Sharma, A.; Bosnjak, J.; Tonidis, M.: Post-fire performance of RC beams with critical lap splices - experimental investigation and numerical validation. In: *Journal of Building Engineering* 34 (2021), No. 102045
- Skalecki, P.; Sesselmann, M.; Rechkemmer, S.; Britz, T.; Großmann, A.; Garrecht, H.; Sawodny, O.: Process evaluation for smart concrete road construction: road surface and thickness evaluation using high-speed LiDAR Technology. In: *Automation* 2 (2021), No. 1, pp. 31-47
- Stehle, E.; Sharma, A.: Concrete cone breakout behavior of anchor groups in uncracked concrete under displacement-controlled cyclic tension load. In: *Engineering Structures* 246 (2021), No. 113092
- Stehle, E.; Sharma, A.: Fastening of a gusset plate to concrete by means of post-installed anchors - numerical investigation. In: Gatuingt, F.; Torrenti, J.-M. (Eds.): *Proceedings of the 2021 Session of the 13<sup>th</sup> fib International PhD Symposium in Civil Engineering*. Lausanne: fib International Federation for Structural Concrete, 2021, pp. 59-67
- Stehle, E.J.; Sharma, A.: Post-installed anchors in corner investigations - numerical investigation. In: *Otto-Graf-Journal* 20 (2021), S. 199-210
- Stehle E.J.; Sharma, A.: Review of testing and qualification of post-installed anchors under seismic actions for structural applications. In: *CivilEng* 2 (2021), No. 2, pp. 406-420
- Tian, K.; Ozbolt, J.: Concrete pry-out failure of single headed stud anchors after fire exposure: experimental and numerical study. In: *Engineering Structures* 232 (2021), No. 111816
- Tian, K.; Ozbolt, J.; Hofmann, J.: Experimental investigation of concrete edge failure for single stud anchors and anchor groups after fire exposure. In: *Construction and Building Materials* 266 Part B (2021), No. 120982
- Tonidis, M.; Bosnjak, J.; Sharma, A.: Post-fire performance of RC beams with critical lap splices - numerical parametric study. In: *Journal of Building Engineering* 44 (2021), No. 102637
- Tonidis, M.; Sharma, A.: Numerical investigations on the influence of transverse beams and slab on the seismic behavior of substandard beam-column joints. In: *Engineering Structures* 247 (2021), No. 113123

Toth, M.; Bokor, B.; Sharma, A.: Befestigungen im stahlfaserverstärkten Beton bei Betonbruch - Stand der Technik und Bemessungsansatz. In: Bauingenieur 96 (2021), Nr. 7-8, S. 254-265

Toth, M.; Bokor, B.; Sharma, A.: Comprehensive literature review on anchorages in steel fibre reinforced concrete. In: Júlio, E; Valença, J.; Louro, A. S. (Eds.): Concrete Structures: New Trends for Eco-Efficiency and Performance; fib Symposium 2021, Lisbon, Portugal, 2021. (ISBN 978-2-940643-08-0), pp. 691-700

Vita, N.; Sharma, A.: Behaviour of single bonded anchors in non-cracked and cracked steel fiber reinforced concrete under short-time tensile loading. In: Engineering Structures 245 (2021), No. 112900

Weber, M.; Thoma, K.; Hofmann, J.: Finite element analysis of masonry under a plane stress state. In: Engineering Structures 226 (2021), No. 111214

Xu, S.; Li, Q.; Wu, Y.; Dong, L.; Lyu, Y.; Reinhardt, H.W.; Leung, C.K.Y.; Ruiz, G.; Kumar, S.; Hu, S.: Influential factors for double- $\kappa$  fracture parameters analyzed by the round robin tests of RILEM TC265-TDK. In: Materials & Structures 54 (2021), No. 227

Xu, S.; Li, Q.; Wu, Y.; Dong, L.; Lyu, Y.; Reinhardt, H.W.; Leung, C.K.Y.; Ruiz, G.; Kumar, S.; Hu, S.: Results of round-robin testing for determining the double- $\kappa$  fracture parameters for crack propagation in concrete: technical report of the RILEM TC265-TDK. In: Materials & Structures 54 (2021), No. 221

Xu, S.; Li, Q.; Wu, Y.; Dong, L.; Lyu, Y.; Reinhardt, H.W.; Leung, C.K.Y.; Ruiz, G.; Kumar, S.; Hu, S.: RILEM Standard: testing methods for determination of the double- $\kappa$  criterion for crack propagation in concrete using wedge-splitting tests and three-point bending beam tests, recommendation of RILEM TC265-TDK. In: Materials & Structures 54 (2021), No. 220

Xu, S.; Li, Q.; Wu, Y.; Dong, L.; Lyu, Y.; Reinhardt, H.W.; Leung, C.K.Y.; Ruiz, G.; Kumar, S.; Hu, S.: The theoretical basis of testing methods to determine double- $\kappa$  criterion for crack propagation in concrete: technical report of the RILEM TC265-TDK. In: Materials & Structures 54 (2021), No. 229

Xu, S.; Wang, Q.; Lyu, Y.; Reinhardt, H.W.: Prediction of fracture parameters of concrete using an artificial neural network approach. In: Engineering Fracture Mechanics 258 (2021), ID 108090